NAME: SCIPER:



Question 1: [5 pts]

Let us define the goal of computational semantics as the automated conversion of meaning expressed in linguistic form into some formal representation directly exploitable for automated semantic tasks.

With this definition in mind, we want to implement some form of computational semantics for representing the meaning of English documents.

1.1 [1pt	t] What type of semantics shall we consider for this? (Select only one):
	Some form of lexical semantics Some form of compositional semantics
Wasaa	ngidar tha two approaches described below. A polyzo each of them by indicating

We consider the two approaches described below. Analyze each of them by indicating the different aspects of the above definition (if any) you think are satisfied.

Approach 1: Each document is first sent by mail to a large number of randomly selected (human) recipients, with the request to summarize the document in at most 100 words, and a group of experts then selects among the received answers the most adequate summary as the representation of the meaning of the document.

- **1.2**[2pts] Analysis of the proposed approach (circle "Yes" if the aspect is satisfied, and "No" otherwise):
- [Yes | No] Automated conversion
- [Yes | No] Conversion of meaning expressed in linguistic form
- [Yes | No] Conversion into some formal representation
- [Yes | No] Representation directly exploitable for automated semantic tasks

<u>Approach 2</u>: Each document is first associated to a vector in which the ith component corresponds to the frequency in the document of the ith character in the used character set, and then the cosine similarity is used to quantify semantic proximities between the vectors associated to the documents.

- **1.3**[2pts] Analysis of the proposed approach (circle "Yes" if the aspect is satisfied, and "No" otherwise):
- [Yes | No] Automated conversion
- [Yes | No] Conversion of meaning expressed in linguistic form
- [Yes | No] Conversion into some formal representation
- [Yes | No] Representation directly exploitable for automated semantic tasks

NAME: **SCIPER:**



Duestion 2:	[6 pts]
-------------	---------

Question 2:	ts		
2.1 [1pt] The words <i>bite</i> in "he ate the sandwich in one bite" and <i>byte</i> in "the program needs a byte of memory" are (select only one):			
[] Homographs[] Homophones[] Homonyms[] Polysems			
Consider the following excerpt from an English dictionary:			
pen (from the latin: penna) 1. an instrument for writing or drawing with ink pen (from the Old English: penn) 1. a small enclosure in which farm animals are kept 2. (in the West Indies) a farm or plantation			
2.2 [2pts] The words <i>pen</i> in "I need a pen to fill in the form" and <i>pen</i> in "the cows are in the pen" are (select only one):			
[] Homographs[] Homophones[] Homonyms[] Polysems			
Consider the following possible meanings for the words <i>table</i> and <i>armchair</i> : <i>table</i>			
a piece of furniture with a flat top and one or more legs armchair			
a piece of furniture for a person to sit on with side supports for the person's arm	าร		

2.3[3pts] Apply the Aristotelian principle to represent these two meanings with semantic relations in a way that allows to distinguish one from the other (provide your answer in a form of a directed graph, where arcs are labeled with semantic relations):